


RADA/PORTÁL A/B	VÝKON nom	DN	VÁHA MAX	C/D/E	F	PRÍSLUŠENSTVO					
						RO	VP	ZO	OS	DP	RÁM DVIEROK
[mm]	[kw]		[kg]	[mm]	[mm]						
BYSTRÁ LINE											
440/440,560,660	5	180	145	420/470/--	930,1040,1050	•	•	•		•	
550/560,660	8	180	180	420/530/--	1120,122	•	•	•		•	
550/780	8	180	205	460/530/--	1340	•	•	•		•	
600/780	8,5	200	230	460/440/--	1340	•	•	•		•	




BYSTRÁ PRIZMA



RADA/PORTÁL A/B	VÝKON nom	DN	VÁHA MAX	C/D/E	F	PRÍSLUŠENSTVO							
						RO	VP	ZO	OS	DP	RÁM DVIEROK		
[mm]	[kw]		[kg]	[mm]	[mm]								
<i>BYSTRÁ PRIZMA</i>													
550/560,660	8	180	160	420/480/115	1120, 1220	•	•	•		•			



BYSTRÁ POLAR



RADA/PORTÁL A/B	VÝKON nom	DN	VÁHA MAX	C/D/E	F	PRÍSLUŠENSTVO							
						RO	VP	ZO	OS	DP	RÁM DVIEROK		
[mm]	[kw]		[kg]	[mm]	[mm]								
<i>BYSTRÁ POLAR R 300</i>													
550/560,660	8	180	150	420/480/160	1120, 1220	•	•	•		•			
<i>BYSTRÁ POLAR R 550</i>													
550/560,660	8	180	165	420/490/70	1120, 1220	•	•	•		•			
<i>BYSTRÁ POLAR R 900</i>													
550/560,660	8	180	175	420/510/40	1120, 1220	•	•	•		•			